

BEST AVAILABLE COPY

**Listing of claim amendments:**

1. (currently amended) A tissue preserving surgical procedure for the replacement of a hip joint, including the step of making a ~~superior~~ single incision for accessing the hip joint, said incision being a superior incision.

2. (original) The surgical procedure according to claim 1, wherein said incision is less than about 8 cm long.

3. (currently amended) ~~A minimally invasive surgical procedure for the replacement of a hip joint,~~ The surgical procedure according to claim 1, further comprising including the step of making a superior capsulotomy for accessing the hip joint, the superior capsulotomy being carried out through the superior incision.

4. (currently amended) ~~A minimally invasive surgical procedure for the replacement of a hip joint,~~ The surgical procedure according to claim 3, wherein said superior capsulotomy is performed while including the step of preserving most or all the short rotators and the posterior capsule.

5. (original) A minimally invasive and tissue preserving surgical procedure for the replacement of a hip joint, including the steps of:

making a superiorly positioned incision; and

preparing the femoral canal of a patient's natural femur for receipt of a femoral implant, through said superior incision, while the patient's natural femoral head is still within the patient's natural acetabulum.

6. (original) The procedure of claim 5, wherein said step of preparing said femoral canal is carried out without the need to transect any of the patient's abductors.

BEST AVAILABLE COPY

7. (original) The procedure of claim 5, wherein said step of preparing said femoral canal is carried out without dissecting any of the patient's abductors.
8. (original) The procedure of claim 7, wherein said step of preparing includes leaving the femoral broach in the femur for use as a template.
9. (original) The method of claim 7, further comprising performing a vertical capsulotomy on the hip joint and placing retractors inside the hip joint on both sides of the femoral neck while said femoral head is within the acetabulum.
10. (original) The method of claim 8, further comprising the step of extracting the patient's natural femoral head from the patient's natural acetabulum, after said step of preparing the femoral canal.
11. (original) The procedure of claim 10, wherein said step of extracting includes simultaneously severing the patient's natural femoral head from the patient's femur.
12. (original) The procedure of claim 11, further including the step of preparing the patient's natural acetabulum for receipt of an acetabular shell, through said superiorly positioned incision.
13. (original) The procedure of claim 12, wherein said step of preparing the patient's natural acetabulum is carried out using an angled reamer.
14. (original) The procedure of claim 13, wherein said angled reamer is hand-held.
15. (original) The procedure of 14, further comprising the step of inserting an acetabular shell and liner in said prepared natural acetabulum through said superior incision.
16. (original) The procedure of claim 15, wherein said femoral implant is inserted in said femoral canal through said superior incision after the insertion of said acetabular shell and liner.
17. (original) The procedure of claim 16, wherein a femoral ball implant is implanted in the patient after the insertion of the femoral implant and the acetabular shell and liner.

SN 10/691,8000

4

BEST AVAILABLE COPY

18. (currently amended) ~~A tissue-preserving hip surgical procedure for the replacement of a hip joint, including the steps of:~~ The procedure of claim 5, wherein said wherein said step of preparing said femoral canal is carried out while

preserving the short rotators and posterior capsule; and

preserving the abductors.

19. (cancelled)

20. (new) The surgical procedure according to claim 5, further comprising making a superior capsulotomy for accessing the hip joint, the superior capsulotomy being carried out through the superior incision.

21. (new) The surgical procedure according to claim 20, wherein said superior capsulotomy is performed while preserving most or all the short rotators and the posterior capsule.